

Volume 3 - Index

A

Ascent procedures	
from 40 fsw stop	14-5
variation in rate	14-14
Ascent rate	
delays in arriving at first stop	14-14
delays in leaving stop	14-15
delays in travel from 40 fsw to surface	14-15
early arrival at first stop	14-14

B

Bottom time	
mixed-gas diving	13-4
Boyle's law	12-1
formula	12-1
Breathing gas	
analysis	16-8
consumption rates	13-8
continuous flow mixing	16-7
heating system	15-9
increasing oxygen percentage	16-5
mixing by partial pressure	16-1
mixing by volume	16-7
mixing by weight	16-8
reducing oxygen percentage	16-6
requirements	
deck decompression chamber	15-4
deep diving system	13-8
emergency gas	15-19
mixed-gas diving	13-8
personnel transfer capsule	15-1
surface-supplied diving	13-8
treatment gas	15-19
UBA	15-19
single cylinder mixing procedure	16-2

C

Charles' law	12-4
formula	12-4
CNS oxygen toxicity	
convulsions at 40-fsw or 50 fsw-stop	14-22
nonconvulsive symptoms at the 40-fsw stop	14-22
nonconvulsive symptoms at the 50-fsw stop	14-21
Communications	
saturation diving	15-3

D

Dalton's law	12-11
formula	12-12
Deck decompression chamber	15-3

atmosphere control	15-18
selecting storage depth	15-15
Decompression	
emergency SUR D using oxygen	14-11
normal SUR D using oxygen	14-8
saturation	15-33
surface	14-5
Decompression sickness	
in the water	14-28
saturation diving	15-37
Type I	15-37
Type II	15-39
Decompression tables	
Surface-Supplied Helium-Oxygen	
Decompression Table	14-3
Deep diving system	
emergency procedures	15-31
Deep diving systems	
applications	15-1
breathing gas requirements	13-8
components	
deck decompression chamber	15-3
personnel transfer capsule	15-1
PTC handling system	15-4
fire prevention	15-4
Depth limits	
mixed-gas diving	13-3
surface-supplied mixed-gas diving	14-1
Descent procedures	
aborted dive during descent	14-11
with less than 16 percent oxygen	14-4
Dive briefing	
mixed-gas operations	13-9
Diver fatigue	13-9
Diver training and qualification	13-8
saturation diving	15-14
Diving team	
cross training and substitution	13-8
personnel qualifications	13-9
selecting and assembling	13-8, 15-14

E

Ear	
external ear	
prophylaxis	15-21
Emergency gas supply	
saturation diving	15-12
Emergency operating procedures	
saturation diving	15-17
Emergency procedures	
atmosphere contamination	15-31
bottom time in excess of table	14-17
inability to shift to 40 percent oxygen at	

100 fsw during decompression	14-19
lightheaded or dizzy diver on bottom	14-26
loss of carbon dioxide control	15-31
loss of depth control	15-32
loss of helium-oxygen supply on the bottom	14-17
loss of oxygen control	15-31
loss of oxygen supply at 50 fsw	14-19
loss of oxygen supply at the 40-foot stop	14-20
loss of temperature control	15-32
oxygen supply contaminated with helium-oxygen	14-21
Environmental conditions mixed-gas diving	13-4
Environmental control saturation diving	15-19
Equipment mixed-gas diving	13-3
reference data MK 21 MOD 1 lightweight surface- supplied helium oxygen	13-12

F

Flying after diving saturation diving	15-39
Formulas Boyle's law	12-1
calculating oxygen partial pressure	14-15
Charles law	12-4
Dalton's law	12-12
emergency gas supply duration	15-12
fire zone depth	15-20
general gas law	12-8
UBA gas usage	15-11

G

Gas analysis	16-8
Gas laws Boyle's law	12-1
Charles' law	12-4
Dalton's law	12-11
general gas law	12-7
Henry's law	12-14
Gas mixtures analyzing constituents	16-9
continuous-flow mixing	16-7
dives deeper than 200 fsw	14-2
dives shallower than 200 fsw	14-2
emergency gas supply	14-2
exceptional exposure dives	14-2
increasing oxygen percentage	16-5
mixing by partial pressure	16-1
mixing by volume	16-7
mixing by weight	16-8
reducing oxygen percentage	16-6
single cylinder mixing procedure	16-2
surface-supplied mixed-gas diving	14-1

General gas law	12-7
formula	12-8

H

Helium-oxygen diving charting	14-17
Henry's law	12-14

M

Mixed-gas diving depth limits	13-3
helium-oxygen descent procedures	14-2
emergency procedures	14-17
medical considerations	13-1
method consideration	13-3
selecting equipment	13-3

N

Naval Submarine Medical Research Laboratory	15-6
Navy Experimental Diving Unit	15-5

O

Ocean Simulation Facility	15-5
Omitted decompression	14-23
Operating procedures saturation diving	15-17
Operational tasks identifying	13-2

P

Personnel transfer capsule	15-1
atmosphere control	15-18
diving procedures	15-29
handling systems	15-4
Planning considerations surface-supplied mixed-gas diving	14-1
Postdive procedures saturation diving	15-39

R

Record keeping documents chamber atmosphere data sheet	15-16
Command Diving Log	15-16
gas status report	15-17
individual dive record	15-17
machinery log	15-17
master protocol	15-16
service lock	15-17
mixed-gas diving	13-11

S

Saturation diving
 breathing gas requirements 13-8
 deep diving systems 15-1
 mission abort 15-35
 thermal protection system 15-9
 Unlimited Duration Excursion Tables 15-25
Storage depth 15-25
 compression to 15-24
 selecting 15-15
Surface-supplied diving
 breathing gas requirements 13-8

T

Thermal problems in diving
 excessive heat loss (hypothermia) 14-1
Thermal protection system
 saturation diving 15-9

U

Unconsciousness
 unconscious diver on the bottom 14-26
Unlimited Duration Excursion Tables 15-25

V

Vertigo
 transient
 alternobaric 14-26

Page Left Blank Intentionally